



EXTERNAL DIMENSION



SPECIFICATION:

- 1.LCD Panel Type : HSD 4.3 Inch(A.A Diagonal)
- 2.Pixel Resolution : 800RGB(H)*480(V)
- 3.Display Mode : Transmissive, Normally Black
- 4.Polarizer Surface Treatment : Anti-Glare
- 5.Viewing Direction : ALL
- 6.Operating/Storage temperature : -20°C~+70°C/-30°C~+80°C
- 7.Operating Voltage : VDD=3.3V for LCD
- 8.LED Backlight : White Color, Vf=15.0-16.8V/If=40mA
Luminance:400cd/m²
- 9.Control IC Interface : ILI6128B & ILI5960S-1 /24-Bit RGB
- 10.Dimensions with mark "()" are reference.
- 11.RoHS compliant.



PIN CONNECTIONS

TFT LCD MODULE

PIN NO	1	2	3	4	5	6	7	8	9	10
SYMBOL	LED-A	LED-A	LED-K	LED-K	GND	VCOM	VDD	MODE	DEN	VSYNC
PIN NO	11	12	13	14	15	16	17	18	19	20
SYMBOL	HSYNC	B0	B1	B2	B3	B4	B5	B6	B7	G0
PIN NO	21	22	23	24	25	26	27	28	29	30
SYMBOL	G1	G2	G3	G4	G5	G6	G7	R0	R1	R2
PIN NO	31	32	33	34	35	36	37	38	39	40
SYMBOL	R3	R4	R5	R6	R7	GND	DOTCLK	GND	L/R	U/D
PIN NO	41	42	43	44	45	46	47	48	49	50
SYMBOL	VGH	VGL	AVDD	RESET	NC	VCOM	DITHB	GND	NC	NC